

CALCULATION POLICY

Maths Mastery

At the depth of the mastery approach to the teaching of mathematics is the belief that **all children have the potential to succeed**. They should have access to the same curriculum content and, rather than being extended with new learning, they should **deepen their conceptual understanding by tackling challenging and varied problems**. Similarly, with calculation strategies, children must not simply rote learn procedures but demonstrate their understanding through the use of concrete materials and pictorial representations. This policy outlines the different calculation strategies that should be taught and used in EYFS through to Year 6 in line with the requirements of the 2014 Primary National Curriculum.

The quality and variety of language that pupils hear and speak are key factors in developing their mathematical vocabulary and presenting a mathematical justification, argument or proof.

2014 Maths Programme of Study

Mathematical Language

The 2014 Primary National Curriculum is explicit in articulating the importance of children using the correct mathematical language as part of their learning (reasoning). Indeed, in certain year groups, the non-statutory guidance highlights the requirements for children to extend their language around certain concepts. It is therefore essential that teaching the strategies outlined in this policy is accompanied by the use of appropriate and precise mathematical vocabulary. New vocabulary should be introduced in a suitable context (for example, with relevant real objects, apparatus, pictures or diagrams) and explained carefully. High expectations of the mathematical language used are essential, with teachers only accepting what is correct. The agreed list of terminology is above each mathematical operation in this policy.

How to use the policy

This policy is a guide for all teaching staff. It is purposefully set out as a progression of mathematical skills and not into year group phases to encourage a flexible approach to teaching and learning. It is expected that teachers will use their professional judgement as to when consolidation of existing skills is required or if to move onto the next concept. However, the focus always **must remain on breadth and depth rather than accelerating through concepts**. Children should not be extended with new learning before they are ready, they should deepen their conceptual understanding by tackling challenging and varied problems.

For each of the four rules of number, different strategies are laid out, together with examples of what concrete materials can be used and how, along with suggested pictorial representations. The main concrete materials to be used within all year groups are Dienes/Base 10, Place Value counters and Cuisenaire rods. The principle of the concrete-pictorial-abstract (CPA) approach (make it, draw, write it) is for children to have a true understanding by mastering all these three phrases within each mathematical concept.










Calculation Policy: Addition Guidance













| | EYFS | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 |
|-----------------|---|---|--|---|---|---|---|
| Addition | Combining two parts to make a whole: part whole model Start with the bigger number and count on Regrouping to make 5 using the five frame | Combining two parts to make a whole: part whole model Start with the larger number and count on Regrouping to make 10 using the ten frame | Adding 3 single digit numbers Use of Base 10 to combine two numbers | Column method – regrouping Using Place value counters (up to 3 digits) | Column method – regrouping (up to 4 digits) | Column method – regrouping Place value with decimals | Column method with regrouping Abstract methods |

Calculation policy - Addition

Key Language: sum, total, parts and wholes, plus, add, total, altogether, score, more, is equal to, is the same as, exchange, inverse


Addition

| Stem sentences | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|---|---|---|---|
| <p>___ is the whole, ___ is a part, ___ is a part.</p> <p>___ = ___ plus ___ and ___ plus ___ = ___</p> <p>There are ___ in total.</p> <p>Year R/1</p> |   $3 + 4 = 7$ $7 = 3 + 4$ $4 + 3 = 7$ $7 = 4 + 3$  $5 + 3 = 8$ $8 = 5 + 3$ $3 + 5 = 8$ $8 = 3 + 5$ |  $3 + 2 = 5$ $2 + 3 = 5$ $5 = 3 + 2$ $5 = 2 + 3$ |  $2 + 3 = 5$ $3 + 2 = 5$ $5 = 2 + 3$ $5 = 3 + 2$ <p>Bar model</p>  |
| <p>First... Then... Now...</p> <p>e.g. First there were 4 children on the bus, then 3 children got on. Now there are 7 children on the bus.</p> <p>Year R/1</p> | <p>Role play getting 'on the bus' or use a toy bus.</p>  |  $4 + 3 = 7$  $2 + 3 = 5$ |  $4 + 2 = 6$  $4 + 3 = 7$  $4 + 2 = 6$ |
| <p>We can look for pairs of addends which sum to 10.</p> <p>___ plus ___ is equal to 10, then 10 plus ___ is equal to ___.</p> <p>Year 2</p> |  $3 + 5 + 7 = 5 + 10$ |  | $3 + 5 + 7 = 3 + 7 + 5 = 10 + 5 = 15$ |


| | | | |
|--|---|---|---|
| <p>First I partition the __: __ plus __ is equal to __.</p> <p>Then __ plus __ is equal to ten ... and ten plus __ is equal to __.</p> <p>Year 2</p> |  <p> $7 + 5 =$ $7 + 3 = 10$ $10 + 2 = 12$ </p> |  <p> $7 + 5 =$ $7 + 3 = 10$ $10 + 2 = 12$ </p> |  <p> $7 + 3 = 10$ $10 + 2 = 12$ </p> |
| <p>I know that __ plus __ is equal to __. (single-digit fact)</p> <p>So __ plus __ is equal to __. (related two-digit plus single digit fact)</p> <p>I know that __ plus __ is equal to ten so __ plus __ is equal to __.</p> <p>Year 2</p> |  <p> $3 + 6 = 9$ $23 + 6 = 29$ </p>  <p> $28 + 3 = 31$ </p>  <p> $16 + 4 = 20$ </p> |  <p> $3 + 6 = 9$ </p>  <p> $23 + 6 = 29$ </p> |  <p> $17 + 3 = 20$ </p> |
| <p>I know that __ plus __ is equal to __.</p> <p>So __ tens plus __ tens is equal to __ tens.</p> <p>__ tens and __ ones, plus __ tens is equal to __ tens and __ ones.</p> <p>Year 2</p> |  <p> $40 + 30 = 70$ so $45 + 30 = 75$ </p> |  <p> $45 + 30 = 75$ </p> |  <p> $2 + 3 = 5$ $2 \text{ tens} + 3 \text{ tens} = 5 \text{ tens}$ $20 + 30 = 50$ </p> |

First I partition the into and , and the into and .
 plus is equal to ... (addition of the tens)
 plus is equal to ... (addition of the ones)
and plus is equal to . (addition of the tens and ones)
So plus is equal to . (summary of the overall calculation)

Year 2



$45 + 23 = 60 + 8 = 68$




$$\begin{array}{r} 45 \\ 40 \quad 5 \end{array} + \begin{array}{r} 23 \\ 20 \quad 3 \end{array}$$



$40 + 20 = 60$
 $5 + 3 = 8$
 $60 + 8 = 68$

First I partition the into and , and the into and .
 plus is equal to ... (addition of the tens)
 plus is equal to ... (addition of the ones)
and plus is equal to . (addition of the tens and ones)
So plus is equal to . (summary of the overall calculation)

Year 2



$26 + 37 = 50 + 13 = 63$




$$\begin{array}{r} 26 \\ 20 \quad 6 \end{array} + \begin{array}{r} 37 \\ 30 \quad 7 \end{array} \quad \text{or} \quad \begin{array}{r} 26 \\ 20 \quad 6 \end{array} + \begin{array}{r} 37 \\ 30 \quad 7 \end{array}$$









$20 + 30 = 50$ $26 + 30 = 56$
 $6 + 7 = 13$ $56 + 7 = 63$
 $50 + 13 = 63$

Addition Facts

| | | | |
|----------|-------------|-----------|-----------------------|
| Adding 1 | Bonds to 10 | Adding 10 | Bridging/compensating |
| Adding 2 | Adding 0 | Doubles | Near doubles |



| + | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|----|------|------|------|------|------|------|------|------|------|------|-------|
| 0 | 0+0 | 0+1 | 0+2 | 0+3 | 0+4 | 0+5 | 0+6 | 0+7 | 0+8 | 0+9 | 0+10 |
| 1 | 1+0 | 1+1 | 1+2 | 1+3 | 1+4 | 1+5 | 1+6 | 1+7 | 1+8 | 1+9 | 1+10 |
| 2 | 2+0 | 2+1 | 2+2 | 2+3 | 2+4 | 2+5 | 2+6 | 2+7 | 2+8 | 2+9 | 2+10 |
| 3 | 3+0 | 3+1 | 3+2 | 3+3 | 3+4 | 3+5 | 3+6 | 3+7 | 3+8 | 3+9 | 3+10 |
| 4 | 4+0 | 4+1 | 4+2 | 4+3 | 4+4 | 4+5 | 4+6 | 4+7 | 4+8 | 4+9 | 4+10 |
| 5 | 5+0 | 5+1 | 5+2 | 5+3 | 5+4 | 5+5 | 5+6 | 5+7 | 5+8 | 5+9 | 5+10 |
| 6 | 6+0 | 6+1 | 6+2 | 6+3 | 6+4 | 6+5 | 6+6 | 6+7 | 6+8 | 6+9 | 6+10 |
| 7 | 7+0 | 7+1 | 7+2 | 7+3 | 7+4 | 7+5 | 7+6 | 7+7 | 7+8 | 7+9 | 7+10 |
| 8 | 8+0 | 8+1 | 8+2 | 8+3 | 8+4 | 8+5 | 8+6 | 8+7 | 8+8 | 8+9 | 8+10 |
| 9 | 9+0 | 9+1 | 9+2 | 9+3 | 9+4 | 9+5 | 9+6 | 9+7 | 9+8 | 9+9 | 9+10 |
| 10 | 10+0 | 10+1 | 10+2 | 10+3 | 10+4 | 10+5 | 10+6 | 10+7 | 10+8 | 10+9 | 10+10 |


| Stem sentences | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|--|--|--|--|
| <p>I know that <u> </u> plus <u> </u> is equal to <u> </u>. (single-digit addends) So <u> </u> tens plus <u> </u> tens is equal to <u> </u> tens. (multiple-of-ten addends) <u> </u> plus <u> </u> is equal to one hundred and <u> </u>.</p> <p>Year 3</p> |  <p>7 + 5 = 12 7 tens + 5 tens = 12</p> <p>tens 70 + 50 = 120</p> |  <p>70 + 50 = 70 + 30 = 100 100 + 20 = 120</p> |  <p>70 + 50 = 70 + 30 + 20 = 100 + 20 = 120</p> |
| <p>I know that <u> </u> plus <u> </u> is equal to <u> </u>. (single-digit addends) So <u> </u> tens plus <u> </u> tens is equal to <u> </u> tens. (multiple-of-ten addends) <u> </u> plus <u> </u> is equal to one hundred and <u> </u>.</p> <p>Year 3</p> |  <p>87 + 30 = 110 + 7 = 117</p> |  <p>87 + 30 = 80 + 30 + 7 = 110 + 7 = 117</p> |  <p>87 + 30 = 80 + 7 + 30 = 110 + 7 = 117</p> |
| <p>First we add: <u> </u> plus <u> </u> is equal to <u> </u> then we adjust: <u> </u> minus <u> </u> is equal to <u> </u>.</p> <p>Year 3</p> |  <p>35 + 49 = 34 + 50 = 84</p> |  <p>520 + 299 = 520 + 300 = 820 820 - 1 = 819</p> | <p>69 + 69 = 138</p> <p>70 + 70 = 140</p> <p>← -2</p> |

We line up the ones; ___ ones plus ___ ones.
 We line up the tens: ___ tens plus ___ tens.
 The ___ is in the ones column – it represents ___ ones. The ___ is in the ones column – it represents ___ ones.
 ___ ones plus ___ ones is equal to ___ ones.
 The ___ is in the tens column – it represents ___ tens. The ___ is in the tens column – it represents ___ tens.
 ___ tens plus ___ tens is equal to ___ tens.


In column addition we start at the right-hand side.

Year 3


Start with two-digit numbers to exemplify lining up the columns.



Children could draw place value counters.



Start with two-digit numbers to exemplify lining up the columns.




$$\begin{array}{r} 462 \\ + 205 \\ \hline \end{array}$$


If the column sum is equal to ten or more, we must regroup.

Year 3

Start with two-digit numbers to exemplify the regrouping.



Children could draw place value counters.








Start with two-digit numbers to exemplify the regrouping.

$$\begin{array}{r} 25 \\ + 47 \\ \hline 72 \end{array} \qquad \begin{array}{r} 25 \\ + 47 \\ \hline 72 \end{array}$$

$$\begin{array}{r} 567 \\ + 233 \\ \hline 800 \\ 11 \end{array}$$

| | | | |
|--|----------------------------|----------------------------|---|
| <p>If the column sum is equal to ten or more, we must regroup.</p> <p>Year 4</p> | <p>See Year 3 examples</p> | <p>See Year 3 examples</p> | $\begin{array}{r} 6,584 \\ + 2,739 \\ \hline 9,323 \\ 111 \\ \hline \pounds 24.55 \\ + \pounds 17.82 \\ \hline \pounds 42.37 \\ 11 \end{array}$ |
| <p>If the column sum is equal to ten or more, we must regroup.</p> <p>Years 5 and 6</p> | <p>See Year 3 examples</p> | <p>See Year 3 examples</p> | <p>As in Year 4 but using numbers with more than 4 digits</p> |

Addition – Key mental strategies for Key Stage 2

| Strategy | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|---|--|--|--|
| <p>Bridging through a multiple of 10, 100, etc</p> <p>Years 3, 4, 5 and 6</p> |  <p>7 + 5 = 7 + 3 = 10 10 + 2 = 12</p> |  <p>7 + 5 = 7 + 3 = 10 10 + 2 = 12</p> |  <p>7 + 3 = 10 10 + 2 = 12</p> |
| <p>Compensating – rounding to the nearest multiple 10, 100, etc and adjusting</p> <p>Years 3, 4, 5 and 6</p> |  <p>35 + 49 = 34 + 50 = 84</p> |  <p>520 + 299 = 520 + 300 = 820 820 - 1 = 819</p> | <p>69 + 69 = 138</p> <p>70 + 70 = 140</p> <p style="text-align: right;">← -2</p> |







Calculation Policy: Subtraction Guidance

| | | | | | | | |
|--------------------|--|--|---|---|-------------------------------|--|---|
| Subtraction | Counting back Taking away ones Part whole model Making 5 using the five frame | Counting back Taking away ones Find the difference Part whole model Make 10 using the 10 frame | Counting back Find the difference Part whole model Make 10 Use of Base 10 | Column method with regrouping (up to 3 digits using Place value counters | Column method with regrouping | Column method with regrouping Abstract for whole numbers Place value with decimals | Column method with regrouping Abstract methods |
|--------------------|--|--|---|---|-------------------------------|--|---|

Calculation policy - Subtraction


Key Language: take away, less than, the difference, subtract, minus, fewer, decrease, exchange, answer, inverse

Subtraction



| Stem sentences | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|--|--|--|---|
| <p>__ is the whole, __ is a part, __ is a part.</p> <p>__ = __ minus __ and __ minus __ = __</p> <p>Year R/1</p> | <p>I have 8 counters. 5 counters are red. How many are blue?</p>  | <p>There are 6 children. 2 have their coat on. How many do not have their coat on?</p>  | <p>There are 8 flowers. 2 are red and the rest are yellow. How many are yellow?</p>  <p>$8 - 2 = 6$</p> |
| <p>First... Then... Now...</p> <p>e.g. First there were 4 children in the car, then 1 child got out. Now there are 3 children in the car.</p> <p>Year R/1</p> | <p>Role play 'getting out of a car'.</p>  | <p>  </p> <p> $4 - 1 = 3$ $3 = 4 - 1$ </p> <p>  </p> <p>$10 - 6 = 4$</p> | <p>  </p> <p>  </p> <p>$4 - 1 = 3$</p> |

We partition the into and .
 First we subtract the from to get to 10.
 Then we subtract the remaining from 10.
 We know 10 minus is equal to .

Year 2






First there were 12 children on the ride.
 Then 4 got off. Now there are 8 children on the ride.



$12 - 4 =$
 $12 - 2 = 10$
 $10 - 2 = 8$




There are more than .
 There are fewer than .
 The difference between and is .

Year 2






I know that minus is equal to .
 (single-digit fact)
 So minus is equal to . (related two-digit minus single digit fact)
 I know that ten minus is equal to so minus is equal to .











Year 2






I know that minus is equal to .
 So tens minus tens is equal to tens.

Year 2




| | | | |
|---|---|---|--|
| <p>First I subtract the tens, then I subtract the ones.</p> <p>Year 2</p> |  <p> $45 - 23 =$ $45 - 20 = 25$ $25 - 3 = 22$ </p> | <p>$67 - 34 = 33$</p> <p><i>Real story</i></p>  | <p>$45 - 23 = 22$</p> |
| <p>First I subtract the tens, then I subtract the ones.</p> <p>Year 2</p> |  |  <p><i>Real story</i></p>  <p>$62 - 34 = 28$</p> | <p>$63 - 17 = 46$</p> |
| <p>I know that ___ minus ___ is equal to ___. (bridging ten)</p> <p>So ___ tens minus ___ tens is equal to ___ tens. (bridging ten tens)</p> <p>One hundred and ___ minus ___ is equal to ___.</p> <p>Year 3</p> | <p>See Year 2 (bridging)</p> |  <p> $120 - 30 =$ $120 - 20 = 100$ $100 - 10 = 90$ </p> |  <p> $120 - 30 =$ $120 - 20 = 100$ $100 - 10 = 90$ </p> |
| <p>I know that ___ minus ___ is equal to ___. (bridging ten)</p> <p>So ___ tens minus ___ tens is equal to ___ tens. (bridging ten tens)</p> <p>One hundred and ___ minus ___ is equal to ___.</p> <p>Year 3</p> |  <p>$126 - 70 = 56$</p> |  |  <p> $126 - 70 = 120 - 70 + 6$ $= 50 + 6$ $= 56$ </p> |

| | | | |
|---|---|--|--|
| <p>We partition the <u> </u> into <u> </u> and <u> </u>. First we subtract the <u> </u> from <u> </u> to get to a multiple of 10. Then we subtract the remaining <u> </u> from the multiple of 10. We know 10 minus <u> </u> is equal to <u> </u> so <u> </u> minus <u> </u> is equal to <u> </u>.</p> <p>Year 3</p> |  | <p>544 - 16</p>  | <p>Count back to multiples of 10/100</p> |
| <p>We partition the <u> </u> into <u> </u> and <u> </u>. First we add the <u> </u> to <u> </u> to get to 100. Then we add the remaining <u> </u> to 100. We know 100 plus <u> </u> is equal to <u> </u>.</p> <p>Year 3</p> |  | <p>123 - 97 = 26</p>  | <p>Count on to multiples of 10/100</p> |

We line up the ones; ___ ones plus ___ ones.
 We line up the tens: ___ tens plus ___ tens.
 The ___ is in the ones column – it represents ___ ones.
 ___ ones minus ___ ones is equal to ___ ones.
 The ___ is in the tens column – it represents ___ tens.
 ___ tens minus ___ tens is equal to ___ tens.
 In column subtraction we start at the right-hand side.

Year 3



Children could draw place value counters.




$$\begin{array}{r} 65 \\ - 23 \\ \hline 42 \end{array}$$


$$\begin{array}{r} 462 \\ - 251 \\ \hline \end{array}$$

If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left.

Year 3



Children could draw place value counters.



| | |
|-------|----|
| 10s | 1s |
| 9 | 14 |
| - | 6 |
| <hr/> | |

| | |
|-----|----|
| 10s | 1s |
| 9 | 14 |
| - | 6 |
| 8 | 8 |






| | | |
|-------|-----|----|
| 100s | 10s | 1s |
| 2 | 2 | 3 |
| - | 1 | 4 |
| <hr/> | | |

| | | |
|--------------|-----|----|
| 100s | 10s | 1s |
| 2 | 12 | 3 |
| - | 1 | 4 |
| <hr/> | | |

| | | |
|--------------|-----|----|
| 100s | 10s | 1s |
| 2 | 12 | 3 |
| - | 1 | 4 |
| 0 | 8 | 1 |

| | | | |
|---|----------------------------|----------------------------|--|
| <p>If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left.</p> <p>Year 4</p> | <p>See Year 3 examples</p> | <p>See Year 3 examples</p> | $ \begin{array}{r} \overset{5}{\cancel{6}}, \overset{14}{\cancel{5}}, \overset{12}{\cancel{3}}, 8 \\ - 2, 7 \ 8 \ 9 \\ \hline 3, 7 \ 4 \ 9 \end{array} $ $ \begin{array}{r} \pounds 2 \ \overset{8}{\cancel{9}} \cdot \overset{14}{\cancel{5}} \ 0 \\ - \pounds 1 \ 8 \cdot 9 \ 4 \\ \hline \pounds 1 \ 0 \cdot 5 \ 6 \end{array} $ |
| <p>If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left.</p> <p>Years 5 and 6</p> | <p>See Year 3 examples</p> | <p>See Year 3 examples</p> | <p>As in Year 4 but using numbers with more than 4 digits</p> |



Subtraction – Key mental strategies for Key Stage 2









| Strategy | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|--|--|---|---|
| Bridging through a multiple of 10, 100, etc Years 3, 4, 5 and 6 |  $12 - 4 =$ $12 - 2 = 10$ $10 - 2 = 8$ |  $120 - 30 =$ $120 - 20 = 100$ $100 - 10 = 90$ |  $120 - 30 = 90$ $120 - 30 =$ $120 - 20 = 100$ $100 - 10 = 90$ |
| Compensating – rounding to the nearest multiple 10, 100, etc and adjusting Years 3, 4, 5 and 6 |  $152 - 29$ |  | $152 - 30 = 122$ $122 + 1 = 123$ |

Calculation Policy: Multiplication Guidance

| | EYFS | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 |
|-----------------------|---|----------|---|-------------------|---|--|---|
| Multiplication | ELG: solve problems, including doubling | Doubling | Arrays – showing commutative multiplication | Arrays 2d x 1d | Column multiplication – introduced with place value counters (2 and 3 digit multiplied by 1 digit) | Column multiplication Abstract only but might need a repeat of year 4 first (up to 4 digit numbers multiplied by 1 or 2 digits) | Column multiplication Abstract methods |

Multiplication

| Stem sentences | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|--|---|---|---------------------------------------|
| <p>One group of two, two groups of two, three groups of 2, ...</p> <p>Ten, twenty, thirty, ...</p> <p>One five, two fives, three fives, ...</p> <p>Year R/1</p> |  |  | <p>10, 20, 30, ...</p> |
| <p>There are __ coins. Each coin has a value of __p. This is __p.</p> <p>Year 1</p> |  <p>Representing each group by one object</p> |  | <p>Five 2p coins = 10p</p> |


| | | | |
|---|---|---|--|
| <p>There are <u> </u> in each group. There are <u> </u> groups. There are <u> </u> in a group and <u> </u> groups.</p> <p>Year 2</p> |  |  | $2 + 2 + 2 + 2 = 8$ $2 \times 4 = 8$ $5 + 5 + 5 = 15$ $5 \times 3 = 15$ |
| <p>Factor times factor is equal to the product. The product is equal to factor times factor.</p> <p>Year 2</p> |  <p>Unitising equal groups – representing each group by one object</p> |  | $2 \times 3 = 6$ $6 = 2 \times 3$ |
| <p><u> </u> times <u> </u> can represent <u> </u> in a group and <u> </u> groups. It can also represent <u> </u> groups of <u> </u>.</p> <p>Multiplication is commutative.</p> <p>Year 2</p> |  |  | $2 \times 5 = 5 \times 2$ |
| <p><u> </u> is equal to <u> </u> plus <u> </u>, so <u> </u> times <u> </u> is equal to <u> </u> times <u> </u> plus <u> </u> times <u> </u>.</p> <p><u> </u> is equal to <u> </u> minus <u> </u>, so <u> </u> times <u> </u> is equal to <u> </u> times <u> </u> minus <u> </u> times <u> </u>.</p> <p>Multiplication is distributive.</p> <p>(NCETM Year 4 unit 2.10)</p> <p>Year 3</p> |  |  | $5 = 4 + 1$ $5 \times 8 = 4 \times 8 + 1 \times 8$ $= 32 + 8$ $= 40$ $4 = 5 - 1$ $4 \times 8 = 5 \times 8 - 1 \times 8$ $= 40 - 8$ $= 32$ |
| <p><u> </u> is equal to <u> </u> plus <u> </u>, so <u> </u> times <u> </u> is equal to <u> </u> times <u> </u> plus <u> </u> times <u> </u>.</p> <p><u> </u> is equal to <u> </u> minus <u> </u>, so <u> </u> times <u> </u> is equal to <u> </u> times <u> </u> minus <u> </u> times <u> </u>.</p> |  |  | $3 \times 13 = 3 \times 10 + 3 \times 3$ $= 30 + 9$ $= 39$ |

| | | | |
|---|--|--|--|
| <p>Multiplication is distributive.</p> <p>(NCETM Year 4 unit 2.10)</p> <p>Year 3</p> | | | |
| <p>When multiplying by 10 it will make the number 10 times bigger.</p> <p>Year 4</p> | | | <p>$6 \times 10 = 60$</p> <p>$12 \times 10 = 120$</p> |
| <p>All multiples of 100 have both a tens and ones digit of 0.</p> <p>When a number is multiplied by 100, the product is a multiple of 100.</p> <p>Year 4</p> | | | <p>$2 \times 100 = 200$</p> <p>There are 100 times as many people as before.</p> <p>$15 \times 100 = 1500$</p> |
| <p>If one factor is made ten times the size, the product will be ten times the size.</p> <p>Year 4</p> | | | <p>$4 \times 3 = 12$ so $4 \times 30 = 120$</p> |

If there are ten or more ones, we must regroup the ones into tens and ones.
 If there are ten or more tens, we must regroup the tens into hundreds and tens.

Multiplication is distributive.

Year 4



$$84 \times 6 = 504$$

$$\begin{array}{r} 84 \\ 80 \quad 4 \end{array} \times 6 = 504$$

$$80 \times 6 = 480$$

$$4 \times 6 = 24$$

$$480 + 24 = 504$$

$$84 \times 6 = 80 \times 6 + 4 \times 6$$


$$= 480 + 24$$

$$= 504$$

We work from the least significant digit, on the right, to the most significant digit, on the left.

Multiplication is distributive.

Year 4





$$34 \times 2 = 60 + 8 = 68$$

| | 10s | 1s | |
|---|-----|----|--|
| | 3 | 4 | |
| × | | 2 | |
| | | 8 | $2 \times 4 \text{ ones} = 8 \text{ ones}$ |
| | 6 | 0 | $2 \times 3 \text{ tens} = 6 \text{ tens}$ |
| | 6 | 8 | |
| | ↓ | | |
| | 2 | 1 | |
| × | | 4 | |
| | 8 | 4 | |

If there are ten or more ones, we must regroup the ones into tens and ones.
 If there are ten or more tens, we must regroup the tens into hundreds and tens.

Multiplication is distributive.

Year 4



$$24 \times 3 = 60 + 12 = 72$$

| 10s | 1s |
|-----|----|
| 2 | 4 |
| × 3 | |
| 1 | 2 |
| 6 | 0 |
| 7 | 2 |


$3 \times 4 \text{ ones} = 12 \text{ ones} = 1 \text{ ten} + 2 \text{ ones}$
 $3 \times 2 \text{ tens} = 6 \text{ tens}$

| | | | |
|-----|---|-----|---|
| 1 | 8 | 3 | 8 |
| × 5 | | × 4 | |
| 9 | 0 | 1 | 5 |
| 4 | | | 2 |
| | | | 3 |


If there are ten or more ones, we must regroup the ones into tens and ones.
 If there are ten or more tens, we must regroup the tens into hundreds and tens.
 If there are ten or more hundreds, we must regroup the hundreds into thousands and hundred.

Multiplication is distributive.

Year 4



$$321 \times 3 = 963$$



$$521 \times 3 = 1000 + 500 + 60 + 3 = 1563$$

| 100s | 10s | 1s |
|------|-----|----|
| 3 | 2 | 1 |
| × 3 | | |
| | 6 | 0 |
| 9 | 0 | 0 |
| 9 | 6 | 3 |

$3 \times 1 \text{ ones} = 3 \text{ ones}$
 $3 \times 2 \text{ tens} = 6 \text{ tens}$
 $3 \times 3 \text{ hundreds} = 9 \text{ hundreds}$


| 1,000s | 100s | 10s | 1s |
|--------|------|-----|----|
| | 5 | 2 | 1 |
| × 3 | | | |
| | | 6 | 0 |
| 1 | 5 | 0 | 0 |
| 1 | 5 | 6 | 3 |

$3 \times 1 \text{ ones} = 3 \text{ ones}$
 $3 \times 2 \text{ tens} = 6 \text{ tens}$
 $3 \times 5 \text{ hundreds} = 15 \text{ hundreds} = 1 \text{ thousand} + 5 \text{ hundreds}$
 $3 \times 1 \text{ thousand} = 3 \text{ thousands}$

| | | | |
|---|---|--------------------|--|
| <p>If there is a multiplicative increase in one factor and a multiplicative decrease in the other, the product remains the same.</p> <p>If I multiply one factor by __, I must divide the other factor by __ for the product to remain the same.</p> <p>Year 5 and 6</p> | | | $\begin{array}{r} 2 \times 9 = 18 \\ \times 3 \downarrow \quad \downarrow \div 3 \\ 6 \times 3 = 18 \end{array}$ |
| <p>If one factor is made one tenth of the size, the product will be one tenth of the size.</p> <p>If one factor is made one hundredth of the size, the product will be one hundredth of the size.</p> <p>I move the digits of the number I am multiplying __ places to the left until I get a whole number; then I multiply; then I move the digits of the product __ places to the right.</p> <p>Year 5</p> | <p>$4 \times 3 = 12$ $0.4 \times 3 = 1.2$ $0.04 \times 3 = 0.12$</p> | | $\begin{array}{r} 4 \ 5 \ 6 \\ \times \quad 4 \\ \hline 1 \ 8 \ 2 \ 4 \\ 2 \ 2 \\ \hline \end{array}$ $\begin{array}{r} 4 \ . \ 5 \ 6 \\ \times \quad 4 \\ \hline 1 \ 8 \ . \ 2 \ 4 \\ 2 \ 2 \\ \hline \end{array}$ |
| <p>Numbers that have more than two factors are composite numbers.</p> <p>Year 5</p> | <p>Factors of 6 are 1, 2, 3 and 6.</p> | <p>Factor bugs</p> | <p>Factors of 6 are 1, 2, 3 and 6.</p> |

Numbers that have only two factors are prime numbers.




Year 5











17 is a prime number because its only factors are 1 and 17.

To multiply two two-digit numbers, first multiply by the ones, then multiply by the tens, then add them together.
To multiply a three-digit number by a two-digit number, first multiply by the ones, then multiply by the tens, then add them together.

Year 6





Multiplication – Key mental strategies for Key Stage 2

| Strategy | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|---|--|--|---|
| Adjacent multiples of ___ have a difference of ____. Year 3 onwards |  |  | $4 \times 6 = 4 \times 5 + 4$ $4 \times 9 = 4 \times 10 - 4$ |
| Products in the 10 times table are double the products in the 5 times table. Products in the 5 times table are half of the products in the 10 times table. (NCETM Year 2 unit 2.5) Year 3 onwards |  |  | $5 \times 4 = 10 \times 2$ |
| Products in the 4 times table are double the products in the 2 times table. Products in the 2 times table are half of the products in the 4 times table. Year 3 onwards |  |  | $2 \times 6 = 4 \times 3$ |
| Products in the 8 times table are double the products in the 4 times table. Products in the 4 times table are half of the products in the 8 times table. Year 3 onwards |  |  | $4 \times 6 = 8 \times 3$ |

Products in the 6 times table are double the products in the 3 times table.
Products in the 3 times table are half of the products in the 6 times table.

Year 3 onwards




$3 \times 4 = 6 \times 2$

When both factors are odd, the product is odd.
When one factor is odd and the other factor is even, the product is even.

(NCETM Year 3 unit 2.9)


Year 3 onwards




odd x odd = odd
odd x even = even
even x odd = even

even x even = even




Products in the 9 times table are triple the products in the 3 times table.



9×4 1×4



$3 \times 12 = 9 \times 4$

| | | | |
|--|--|---|---|
| <p>Products in the 10 times table can be used to find products in the 9 times table.</p> <p>(NCETM Year 3 unit 2.8)</p> <p>Year 4 onwards</p> |  <p style="text-align: center;">10×4</p> | | $9 \times 4 = 10 \times 4 - 1 \times 4$ |
| <p>Products in the 10 times table can be used to find products in the 11 times table and 12 times table.</p> <p>Year 4 onwards</p> |  |  | $\begin{aligned} 12 \times 3 &= 10 \times 3 + 2 \times 3 \\ &= 30 + 6 \\ &= 36 \end{aligned}$ |


Calculation Policy: Division Guidance







| | EYFS | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 |
|-----------------|--|-----------------------------|--|--|--|--|--|
| Division | ELG: solve problems, including halving and sharing | Sharing objects into groups | Division as grouping Division within arrays – linking to multiplication Repeated subtraction | Division with a remainder 2d divided by 1 d using base 10 or place value counters | Division with a remainder Short division (up to 3 digits by 1 digit – concrete and pictorial) | Short division (up to 4 digits by a 1 digit number including remainders) | Short division Long division with place value counters (up to 4 digits by a 2 digit) Children should exchange into the tenths and hundredths column too. |







Calculation policy - Division

Key Language: halve, half, share, group, repeated subtraction, divide, divided by, divisor, dividend, quotient

Division




| Stem sentences | Concrete (Can we make it?) | Pictorial (Can we draw it?) | Abstract (Can we write the equation?) |
|---|--|---|---|
| One group of two, two groups of two, three groups of 2, ... Ten, twenty, thirty, ... One five, two fives, three fives, ... Year R/1 |  |  | 6 biscuits shared between 2 children gives 3 biscuits each. |

| | | | |
|---|--|---|--|
| <p>The ____ costs __p. Each coin has a value of __p. So I need __ coins.</p> <p>Year 1</p> |  |  | <p>Five 2p coins = 10p</p> |
| <p>__ is divided into groups of __. There are __ groups.</p> <p>We can skip count using the divisor to find the quotient.</p> <p>Year 2</p> |  |  | <p>$5 + 5 + 5 = 15$ $15 \div 5 = 3$</p> |
| <p>__ divided between __ is equal to __ each.</p> <p>We can skip count using the divisor to find the quotient.</p> <p>Year 2</p> |  |  | <p>One 5 is 1 each. That's 5. Two 5s is 2 each. That's 10. $10 \div 5 = 2$</p> |
| <p>Ten times __ is equal to __ so __ divided into groups of ten is __. If the divisor is __, we can use the __ times table to find the quotient.</p> <p>Year 2</p> |  <p>30 represents the total number of counters. 10 represents the number in each group. 3 represents the number of groups.</p> |  | <p>$10 \times 3 = 30$ $3 \times 10 = 30$ $30 \div 10 = 3$</p> |

| <p>__ is divided into groups of __. There are __ groups and a remainder of __.</p> <p>(NCETM Year 4 unit 2.12)</p> <p>Year 3</p> |  |  | $14 = 4 \times 3 + 2$ $14 \div 4 = 3 \text{ r } 2$ | | | | | | | | | | | | |
|--|--|---|--|------|-----|----|--|---|---|---|--|--|--|---|--|
| <p>__ is a multiple of __ so when it is divided into groups of __, there is no remainder.</p> <p>The remainder is always less than the divisor.</p> <p>(NCETM Year 4 unit 2.12)</p> <p>Year 3 or 4?</p> |  |  | $17 \div 5 = 2 \text{ r } 7$ is incorrect because 7 is greater than 5. $17 \div 5 = 3 \text{ r } 2$ | | | | | | | | | | | | |
| <p>When dividing by 10 it will make the number 10 times smaller.</p> <p>Year 4</p> |  <p>4 tens \div 10 = 4 ones $40 \div 10 = 4$</p> | <table border="1" data-bbox="1193 603 1514 699"> <thead> <tr> <th>1,000s</th> <th>100s</th> <th>10s</th> <th>1s</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>9</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td>9</td> </tr> </tbody> </table> <p>$\downarrow \div 10$</p> <p>$\times 10$ $\times 10$ $\times 10$ ten times the size ten times the size ten times the size</p> | 1,000s | 100s | 10s | 1s | | | 9 | 0 | | | | 9 | $90 \div 10 = 9$ $150 \div 10 = 15$ |
| 1,000s | 100s | 10s | 1s | | | | | | | | | | | | |
| | | 9 | 0 | | | | | | | | | | | | |
| | | | 9 | | | | | | | | | | | | |
| <p>When dividing by 100 it will make the number 100 times smaller.</p> <p>Year 4</p> |  <p>100 times as many $\times 100$</p> <p><input type="text"/> $\times 100 = 200$ $200 \div 100 =$ <input type="text"/></p> | <table border="1" data-bbox="1193 906 1485 1002"> <thead> <tr> <th>1,000s</th> <th>100s</th> <th>10s</th> <th>1s</th> </tr> </thead> <tbody> <tr> <td></td> <td>9</td> <td>0</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td>9</td> </tr> </tbody> </table> <p>$\downarrow \div 100$</p> <p>100 times the size 100 times the size</p> | 1,000s | 100s | 10s | 1s | | 9 | 0 | 0 | | | | 9 | $900 \div 100 = 9$ $1500 \div 100 = 15$ |
| 1,000s | 100s | 10s | 1s | | | | | | | | | | | | |
| | 9 | 0 | 0 | | | | | | | | | | | | |
| | | | 9 | | | | | | | | | | | | |



If the dividend is made ten times the size, the quotient will be ten times the size.

Year 4







If dividing the tens gives a remainder of one or more tens, we must exchange the remaining tens for ones.



Year 4



If dividing the tens gives a remainder of one or more tens, we must exchange the remaining tens for ones.

Year 4





$$\begin{array}{r} 2 \quad 4 \\ 3 \overline{) 73} \\ \underline{60} \\ 13 \\ \underline{12} \\ 1 \end{array}$$

$73 \div 3 = 24 \text{ r } 1$

$$\begin{array}{r} 2 \quad 4 \quad r1 \\ 3 \overline{) 73} \\ \underline{60} \\ 13 \\ \underline{12} \\ 1 \end{array}$$

$$\begin{array}{r} 2 \quad 4 \quad r1 \\ 3 \overline{) 73} \\ \underline{60} \\ 13 \\ \underline{12} \\ 1 \end{array}$$

If dividing the hundreds gives a remainder of one or more hundreds, we must exchange the remaining hundreds for tens.



Year 4

$$\begin{array}{r} 2 \quad 1 \quad 2 \\ 4 \overline{) 848} \\ \underline{80} \\ 48 \\ \underline{40} \\ 88 \\ \underline{80} \\ 8 \end{array}$$

$$\begin{array}{r} 1 \\ 5 \overline{) 100} \\ \underline{50} \\ 50 \\ \underline{50} \\ 0 \end{array}$$

$$\begin{array}{r} 1 \\ 5 \overline{) 100} \\ \underline{50} \\ 50 \\ \underline{50} \\ 0 \end{array}$$

$$\begin{array}{r} 1 \quad 4 \quad 1 \\ 5 \overline{) 7205} \\ \underline{50} \\ 220 \\ \underline{200} \\ 20 \\ \underline{20} \\ 0 \\ \underline{0} \\ 5 \end{array}$$



$612 \div 4 = 153$

If there is a multiplicative change to the dividend factor and a corresponding change to the divisor, the quotient remains the same.




If I multiply the dividend by __, I must multiply the divisor by __ for the quotient to remain the same.

Year 5 and 6

If the dividend is made one tenth of the size, the quotient will be one tenth of the size.

If the dividend is made one hundredth of the size, the quotient will be one hundredth of the size.

I move the digits of the dividend __ places to the left until I get a whole number; then I divide; then I move the digits of the quotient __ places to the right.



Year 5 onwards

Any two-, three- or four-digit dividend can be divided by a two-digit divisor using skip-counting in multiples of the divisor, or by short division or long division.

Year 6

| Partitioning | Short division | Long division |
|---|----------------|--|
| <p> $310 \div 31 = 10$ $124 \div 31 = 4$ $434 \div 31 = 14$ </p> | | <p>(1 ten \times 31 = 31 tens) (4 ones \times 31 = 124 ones)</p> |

Where there is a remainder, the result can be expressed as a whole-number quotient with a whole-number remainder, a whole-number quotient with a proper-fraction remainder, or as a decimal-fraction quotient.

Year 6

$$354 \div 15 = ?$$

$$\begin{array}{r} 23 \text{ r}9 \\ 15 \overline{) 354} \\ \underline{30} \\ 54 \\ \underline{45} \\ 9 \end{array}$$

So, $354 \div 15 = 23 \text{ r}9$

$$\begin{array}{r} 23 \frac{9}{15} \\ 15 \overline{) 354} \\ \underline{30} \\ 54 \\ \underline{45} \\ 9 \end{array}$$

$$\frac{9}{15} = \frac{3}{5}$$

So, $354 \div 15 = 23 \frac{3}{5}$

$$\begin{array}{r} 23.6 \\ 15 \overline{) 354.0} \\ \underline{30} \\ 54 \\ \underline{45} \\ 90 \\ \underline{90} \\ 0 \end{array}$$

So, $354 \div 15 = 23.6$

The Importance of Bar Modelling

A bar model is a pictorial representation of a problem or concept where bars or boxes are used to represent the known and unknown quantities. Bar models are most often used to solve number problems with the four operations.

Because bar models only require pencils and paper, they are highly versatile and can come in very useful for tests, especially SATs Reasoning Papers.

However the use of bar models can begin much earlier, from showing number bonds to ten or partitioning numbers as part of your place value work.

Once a child is secure in their use of bar modelling for the four operations and can conceptualise its versatility, they can start to use it to visualise many other maths topics

Teaching the Four Operations with Bar Models

ADDITION


$$3 + 4 = ?$$



$$3 + 4 = 7$$

SUBTRACTION


$$18 - 3 = ?$$



$$18 - 3 = 15$$

MULTIPLICATION


$$4 \times 5 = ?$$




$$4 \times 5 = 20$$

DIVISION

$$27 \div 9 = ?$$



$$27 \div 9 = 3$$




Bar models can be used in other areas of maths




Sami has 12 balloons. $\frac{2}{3}$ of them are green. How many are green?





What is 8% of £125?




Problem Solving

Aliya has 4 oranges. Alfie has 3 oranges. How many oranges are there altogether?






On Monday Lisa sold 72 chocolate bars. On Tuesday she sold 15 more than she sold on Monday. How many chocolate bars did she sell altogether?



$$72 + 72 + 15 = 159 \text{ chocolate bars}$$

Jinnie is 134cm tall. Her sister is 107cm tall. How much taller is Jinnie than her sister?



National Curriculum

Mathematics Appendix 1: Examples of formal written methods for addition, subtraction, multiplication and division

This appendix sets out some examples of formal written methods for all four operations to illustrate the range of methods that could be taught. It is not intended to be an exhaustive list, nor is it intended to show progression in formal written methods. For example, the exact position of intermediate calculations (superscript and subscript digits) will vary depending on the method and format used.

Addition and subtraction

789 + 642 becomes

$$\begin{array}{r} 789 \\ + 642 \\ \hline 1431 \\ \hline 1 \quad 1 \end{array}$$

Answer: 1431

874 – 523 becomes

$$\begin{array}{r} 874 \\ - 523 \\ \hline 351 \end{array}$$

Answer: 351

932 – 457 becomes

$$\begin{array}{r} 8 \quad 12 \quad 1 \\ \cancel{9} \quad \cancel{3} \quad 2 \\ - 4 \quad 5 \quad 7 \\ \hline 4 \quad 7 \quad 5 \end{array}$$

Answer: 475

932 – 457 becomes

$$\begin{array}{r} 1 \quad 1 \\ 9 \quad 3 \quad 2 \\ - \cancel{4} \quad \cancel{5} \quad 7 \\ \hline 5 \quad 6 \\ \hline 4 \quad 7 \quad 5 \end{array}$$

Answer: 475

Short multiplication

24 × 6 becomes

$$\begin{array}{r} 24 \\ \times 6 \\ \hline 144 \\ \hline 2 \end{array}$$

Answer: 144

342 × 7 becomes

$$\begin{array}{r} 342 \\ \times 7 \\ \hline 2394 \\ \hline 21 \end{array}$$

Answer: 2394

2741 × 6 becomes

$$\begin{array}{r} 2741 \\ \times 6 \\ \hline 16446 \\ \hline 42 \end{array}$$

Answer: 16 446

Long multiplication

24 × 16 becomes

$$\begin{array}{r} 2 \\ 24 \\ \times 16 \\ \hline 240 \\ 144 \\ \hline 384 \end{array}$$

Answer: 384

124 × 26 becomes

$$\begin{array}{r} 12 \\ 124 \\ \times 26 \\ \hline 2480 \\ 744 \\ \hline 3224 \\ \hline 11 \end{array}$$

Answer: 3224

124 × 26 becomes

$$\begin{array}{r} 12 \\ 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \\ \hline 11 \end{array}$$

Answer: 3224

Short division

98 ÷ 7 becomes

$$\begin{array}{r} 14 \\ 7 \overline{) 98} \end{array}$$

Answer: 14

432 ÷ 5 becomes

$$\begin{array}{r} 86 \text{ r } 2 \\ 5 \overline{) 432} \end{array}$$

Answer: 86 remainder 2

496 ÷ 11 becomes

$$\begin{array}{r} 45 \text{ r } 1 \\ 11 \overline{) 496} \end{array}$$

Answer: $45\frac{1}{11}$

Long division

432 ÷ 15 becomes

$$\begin{array}{r} 28 \text{ r } 12 \\ 15 \overline{) 432} \\ \underline{300} \\ 132 \\ \underline{120} \\ 12 \end{array}$$

Answer: 28 remainder 12

432 ÷ 15 becomes

$$\begin{array}{r} 28 \\ 15 \overline{) 432} \\ \underline{300} \quad 15 \times 20 \\ 132 \\ \underline{120} \quad 15 \times 8 \\ 12 \end{array}$$

$$\frac{\cancel{12}}{\cancel{15}} = \frac{4}{5}$$

Answer: $28\frac{4}{5}$

432 ÷ 15 becomes

$$\begin{array}{r} 28.8 \\ 15 \overline{) 432.0} \\ \underline{300} \\ 132 \\ \underline{120} \\ 120 \\ \underline{120} \\ 0 \end{array}$$

Answer: 28.8